

**Effective And Innovative** 

# WELCOME TO JOYSTICK BIO HEALTH THE WATER EXPERT YOU CAN TRUST.

Offering Cost-Effective & the Best
Water Purification Solutions,
Water Softeners, Geysers & more.
With features of thorough purification
methods that produce healthy,
tasty and pure water.




### TABLE OF **CONTENTS**

Welcome	01
About Us	03
Our History	04
Our Approach	05
Mission/Vision/Values	06
Our Products	07-30
Our Team	31
Authorized Distributors & Service Franchise of KENT RO	32-33
	32-33

Joystick Bio Health has a team with 20 years of experience in the water treatment industry. Over the years they have come to know the benefits of drinking water and hence try to develop the best drinking water possible for every household. Going Healthy being their main motto.

We at Joystick Bio Health have been active in developing and offering the finest water purification solutions that are safe, economic, effective and innovative. As an eminent manufacturer, exporter, importer, service provider, trader and distributor, we execute a profound work to offer advanced purification systems, RO Purifier. All our water filtering technology and material are thoroughly developed, so that it can produce healthful water in an excellent way.

We are a reputed Manufacturer, Exporter, Importer, Trader, Service provider and distributor of several water related products. These products are developed with high-quality material and cutting edge technology, with them being delivered to you with thorough Quality Check and other processes. Hence, we do shipment of these products after a rigid quality checking done at our end.



#### WHY CHOOSE US?

- 20 years of experience in the water field.
- Whole range of products related water under one roof.
- 10+ Qualified Service Engineers.
- 3 branch offices, easy products & services availability.
- Wide range of product available in Ready stock.

- Distributor of Kent RO,
  Authorised Service
  Franchise of Kent RO.
- Opinion Distributor of Uma water Cooler & Kelvin water cooler.
- More than 10000+ Customer Base.
- Quick and Reliable service for all products.
- Sales office for Bio+ Products.

### **OUR APPROACH**

#### **Beneficial Water**

Antioxidant, hydrogen-rich, alkaline, mineralised, water products are products which ensures to convert purified water to its best & beneficial form. Adds nourishing minerals, producing output that helps body function at its optimum levels. This water is ideal for cooking as well, making sure, the food you consume stays on the alkaline side as well. Our innovative H2AAA/AAA. Products are efficient, cost-effective, easy-to-use, environmentally friendly, and ensures the best of health.

#### **Customer Centric**

Being a customer centric company we offer our products at reasonable prices, after a stringent quality checking process so as to ensure their fineness for future use. Also, we package our products with standard packaging material for a safe shipment to customer's end. We are also a member of the WAPTAG (Water Purification & Treatment Association of Gujarat.



To develop best solutions & consultations for different eating, breathing, & drinking water habits. To develop best products & services to ensure healthy being of a human body with minimal changes in lifestyles.



To cater & provide best solutions & consultations for Food, Air, & Water Industries.



- Joystick is one of the most trusted brands when it comes to Hydrogen Rich and alkaline water products. We provide Quality goods to our customers as we care for their health.
- We at Joystick take responsibility for our impacts on society and environment. At Joystick we want to operate with a clear conscience.
- Our motivation is to do something worthwhile and sensible for people around us, while earning our share.
- It is a give-and-take situation, called reciprocity or fairness on display.

## OUR PRODUCTS



Hydrogen-rich
Water is world's
first and foremost
medicine.

# **WATER PURIFIERS**

Reverse Osmosis Drinking Water Filter System. Usually used for: Small office, Hospital, Gym, Restaurant, Hotel, Factory.

**TO UMA** 

## WATER COOLER

Supplying cold water

#### Usually used for:

Workplaces, Restaurants, Hotels, School, factory Hospitals and Public Places for Storing Clean Cold drinking water.

### WATER DISPENSER

Water dispensers provide clean, filtered water from a replaceable bottle. It is very useful equipment and can supply cold, moderate and hot water..



**Usually used for:** Small office, Hospital, Gym, Restaurant, Hotel, Factory



## WATER SOFTNER

Appliances that remove calcium, magnesium, and other minerals from drinking water.

#### Usually used for:

Manufacturing, Row House & Bungalows, Agricultural Pharmaceutical, Hotels / Restaurants. Food & beverage, Hospital, Institutions.





#### Usually used for:

Dust, pollen, pet dander, mold spores, and dust mite feces can act as allergens, triggering allergies in sensitive people.

### AIR PURIFIER

Air purifiers are the best way to clean your air indoors, which usually are polluted, & full of triggering particles like pollen and dust.



**Usually used for:** Homes, Community Centers, Hospitals, Nursing homes, Hotels, Restaurants, Dairy plants, Swimming Pools, Canteens, Ashrams, Hostels, Industry etc.



## PRESSURE PUMP


These pumps are mainly used for increasing the water pressure instantly which comes out from the faucets & appliances

Usually used for: Row Houses, Bungalows & Industrial



### WATER TREATMENT SPARE PARTS





# SCALE OF WATER

- The pH of purified water is usually between 5.5 and 6.5, with 7 being neutral and anything below that being acidic. We have been drinking this water for years, and we never got educated about pH of Drinking water.
- Essentially, drinking water with a pH of 7.5 or higher is beneficial and safe. With humans eating and drinking acidic water, it is not good for their health. drinking acidic drinks, along with increased pollution. Drinking water with a slightly higher pH, i.e., alkaline water, is good for health and works as a countermeasure to acidic food, drinks, and pollution.


### TDS IN PPM



- TDS is basically total dissolved solids. Basically, purifying water involves decreasing the TDS of the water. TDS consists of dissolved solids, including impurities and minerals. TDS is drastically reduced when water is purified, which brings down the minerals as well. And hence, we offer products that replenish the only minerals our bodies require.
- Some purifiers have a TDS controller that basically bypasses the water, letting the TDS be on the higher side. But this can have impurities, which are dangerous. Hence, we should completely purify the water, bring down the TDS to as low as possible, and then add the essential minerals.

# OXIDATION SCALE

- The oxidation Reduction Potential of a liquid indicates if the liquid is oxidizing or antioxidizing. ORP of purified water has a positive ORP of around 250 mV.
- Our Products decrease the ORP levels and tries to bring in the negative range, indicating the water acting as an antioxidizing agent.
- Drinking Antioxidant water has several benefits just like consuming any other Antioxidant substances.



#### HYDROGEN GAS

- Drinking Molecular Hydrogen or even inhaling Hydrogen has an end number of benefits. Basically, it helps reduce inflammation & oxidative stress in the human body. The reduction of oxidative stress is done by the Hydrogen giving the lost electron to the free radicle a.k.a. dead cell.
- Drinking Hydrogen-rich Water is one of the best things one can do.

Remove toxic waste from body

Feeling Energetic

Facilitating anti-ageing skin


Facilitating anti-ageing skin

Facilitating anti-ageing skin


\*To obtain the negative ORP and hydrogen levels, drink the water immediately after passing through the products. Water's pH, minerals, and taste are preserved for a long time.

# PH+/- OF DRINKING WATER

- pH of other range than the drinking water has number of uses. From cleaning fruits & vegetables, cleaning dishes (Eliminating the use of detergent), cleaning floor, and much more.
- We provide pH tester with almost every product at our facility lab to test the water you drink.
- Our products also drastically improve the taste of water.







#### **Applications:**

Flat, Bunglow, Row House, Gym ,Hotel , Restaurant, Medical Industries, Industrial Boilers, Manfacturing Industry, Pharma Industries



### **SONET Water Purifier Blue** (RO + H2AAA/UV + UF + pH Controller)

Purification Capacity	12-15* Litres per hour *	
Max Duty Cycle	60 liters per Day	
Storage Tank Capacity	Capacity 12 Litres	
RO Membrane	1 Unit of 100 GPD	
RO Pump	100 GPD	
Minimum Inlet Water Pressure	0.3 kg/sq cm	
Maximum Inlet water Pressure	3 kg/sq cm	
Input Voltage	160-300V AC (50Hz)	
Operating Voltage	48V DC	
Total Dissolved Solids (TDS)	Up to 1500 ppm	
Dimensions (mm)	L 415 X W 265 X H 524	
Net Weight	9.5 kgs	
Power Rating	40W	

#### **Purification stage**

Pre Filter set 2. Sediment filter 3. GAC Filter 4. RO Membrane
 H2AAA Filter/UV 6. UF & pH Controller

<b>SONET Water F</b> (RO + H2AAA/UV + U		T &
Purification Capacity	12-15* Litres per hour *	
Max Duty Cycle	60 liters per Day	
Storage Tank Capacity	Capacity 12 Litres	
RO Membrane	1 Unit of 100 GPD	
RO Pump	100 GPD	No. of Lot
Minimum Inlet Water Pressure	0.3 kg/sq cm	1.75
Maximum Inlet water Pressure	3 kg/sq cm	
Input Voltage	160-300V AC (50Hz)	600
Operating Voltage	24V DC	(26)
Total Dissolved Solids (TDS)	Up to 1500 ppm	
Dimensions (mm)	L 415 X W 265 X H 524	Harris () ( S. )
Net Weight	9.5 kgs	- The same of the
Power Rating	40W	BioCool

#### **Purification stage**

Pre Filter set 2. Sediment filter 3. GAC Filter 4. RO Membrane
 H2AAA Filter/UV 6. UF & pH Controller



#### **25 LPH RO PLANT**

Purification Capacity	25*(+/- 5) Litres per hour *	
Max Duty Cycle	125 Litres per Day	
Storage Tank Capacity	7 Litres (optional at extra cost)	
RO Membrane	2 Unit of 100 GPD	
Minimum Inlet Water Pressure	0.3 kg/sq cm	
Maximum Inlet water Pressure	3 kg/sq cm	
Input Voltage	160-300V AC ( 50Hz)	
Operating Voltage	48V DC	
Total Dissolved Solids (TDS)	Up to 1500 ppm	
Dimensions (mm)	L 415 x W 265 x H 524	
Net Weight	12.5 kgs.	
Power Rating	48 W	

50 LPH RO PLANT			
Purification Capacity	50±10* Litres per hour *		
Max Duty Cycle	250 Liters per Day		
RO Membrane	4 Unit of 100 GPD		
Minimum Inlet Water Pressure	0.3 kg/sq cm		
Maximum Inlet water Pressure	3 kg/sq cm		
Input Voltage	160-300V AC (50Hz)		
Operating Voltage	48V DC		
Total Dissolved Solids (TDS)	Up to 2000 ppm		
Dimensions (mm)	W 485 x D 300 x H 840		
Net Weight	17.5 kgs.		
Power Rating	75 W		





100 LPH RO PLANT			
Purification Capacity	100±10* Litres per hour *		
Max Duty Cycle	500-600 Liters per Day		
RO Membrane	3 Units of 300 GPD		
Solenoid Valve	220 V		
Minimum Inlet Water Pressure	0.3 kg/sq cm		
Maximum Inlet water Pressure	3 kg/sq cm		
Input Voltage	160-300V AC (50Hz)		
Operating Voltage	24V DC		
Total Dissolved Solids (TDS)	Up to 2000 ppm		
Dimensions (mm)	W 485 x D 300 x H 900		
Net Weight	32 Kgs		
Power Rating	250 W		



Industrial RO Range : 250 LPH to 10000 LPH

All types of RO's are repaired here, and we offer AMC services as well





#### **BIOCOOL ALKALINE POT**

- BioCool Alkaline Pot Convert RO water into Hydrogen Rich, Antioxidant, Alkaline with Mineralisation.
- Sediment filter eliminate Dust, Rust and other impurities.
- High Quality Carbon remove Chlorine, Bad Smell, Odor from water.
- BioCool Filter makes Antioxidant water with negative ORP upto (-100mv to -200mv)
- Change Acidic water into Alkaline water upto pH 7.5 to 8.5 (Depending on source water).
- Add Essential Minerals like Calcium, Magnesium, Potassium and Sodium.
- Reduce Water Cluster Size for Superior Hydration.
- Making water Hydrogen Rich results Excellent Anti Ageing effect.
- Non Electrical and High Storage (20 Litre).

#### **BIOCOOL ALKALINE PURIFIER**

- BioCool Alkalline Purifer Specially Designed for Corporation/Muncipal Water.
- India's First 25 Litre Storage Alkaline Purifier.
- Excellent purification with Antioxidant Alkaline water.
- Filter 1: Reduce unpleasant taste & odor, remove chlorine, organic pollutants, remove heavy metals, fluoride, arsenic.
- Filter 2: UF Membrane (0.1 Micron) ensures excellent purification.
- Filter 3: -Add Minerals like Ca, Mg, Na, k
  - -Enhance pH level
  - -Antioxidant (Anti Ageing)
  - -Stop Bacterial Growth
  - -Micro Clustering
  - -Improve taste of water
  - -Hydrogen rich water



### WORLD'S BEST RO WATER PURIFIERS

Protect your Family with the Purest Drinking Water



KENT - World's Best & India's Largest Selling RO
Water Purifiers for home and offices comes with latest
technologies and unique advantages including:


- Multiple Purification Process of RO+UV+UF+TDS Control
- Retention of Minerals
- UV LED in storage tank to keep water pure
- Digital Display of Purity
- Zero Water Wastage
- 4 Years Free Service
- Best Quality Certifications and Awards



#### **Applications:**

Flat, Bunglow, Row House, Laundry, Hotel, Restaurant, Medical Industries, Industrial Boilers, Manfacturing Industry, Pharma Industries





BioCool Mini Water Softener 35 Ltr		
Product Name	BioCool Auto Water Softener	
Model	BioCool Auto 35	
Skid	SS 304	
Skid Size (L*W*H ) In Inches	36"*18"*62"	
Filter Type	20" Jumbo Bag Assembly	
Softner Vessel Size	8"*44"	
Resin Quantity	35 Litres	
Process Valve	Automatic / Manual Valve	
Water Pressure ( Min-Max)	1.5-4.5 kg	
Inlet Max Hardness (As Caco3)	500 ppm	
Treated Water Hardness (As Caco3)	Max.50 ppm	
Electric Supply	230 V AC / 6 Amp	
Inlet / Outlet Connection Size	1 Inch	
Drain Pipe Size	1/2 Inch	

BioCool Water Softener 100 Ltr		
Product Name	BioCool Auto Water Softener	
Model	BioCool Auto 100	
Skid	SS 304	
Skid Size (L*W*H ) In Inches	36"*18"*62"	
Filter Type	20" Jumbo Bag Assembly	
Softner Vessel Size	13"*54"	
Resin Quantity	90 Litres	
Process Valve	Fully Automatic Valve with Display	
Water Flow	2000-2500 LPH	
Water Pressure ( Min-Max)	1.5-4.5 kg	
Inlet Max Hardness (As Caco3)	500 ppm	
Treated Water Hardness (As Caco3)	Max.50 ppm	
Electric Supply	230 V AC / 6 Amp	
Inlet / Outlet Connection Size	1 Inch	
Drain Pipe Size	1/2 Inch	



Matrixx 6L		
Brand	Power World	
Туре	6 Litres	all.
Model Name/Number	Matrixx 6L	Section is processed
Dimension	44 X 13 X 30 cm	
Water Head Required	2 Meter	
Water Inlet & Outlet	1/2" BSP	
Rated Voltage	DC 1.5 V	
Heat Exchanger	Copper	
Water Pipe	12 mm	BIII
Inbuilt Timer	20 min	0.000
Auto Ignition	Yes	-
Flame Failure Device	Yes	00
Exhaust	Fuel Type	-

#### **Applications:**

Flat, Bunglow, Row House, Laundry, Hotel, Restaurant, Medical Industries, Industrial Boilers, Manfacturing Industry, Pharma Industries



Mat	rixx 10L	
Brand	Power World	
Туре	10 Litres	\$100mingstone
Model Name/Number	Matrixx 10L	
Dimension	550 x 330 x 180 mm	
Water Head Required	2 Meter	
Water Inlet & Outlet	1/2" BSP	
Rated Voltage	DC 1.5 V	
Heat Exchanger	Copper	жатайы
Water Pipe	12 mm	NIII .
Inbuilt Timer	20 min	
Auto Ignition	Yes	
Flame Failure Device	Yes	
Exhaust	Fuel Type	DE LIFE

Mat	rixx 12L	
Brand	Power World	
Туре	12 Litres	Annual Property
Model Name/Number	Matrixx 12L	Antonio del constitución de la c
Dimension	610 x 350 x 185 mm	
Water Head Required	2 Meter	
Water Inlet & Outlet	1/2" BSP	
Rated Voltage	DC 1.5 V	
Heat Exchanger	Copper	sumi)
Water Pipe	13 mm	1011
Inbuilt Timer	20 min	
Auto Ignition	Yes	
Flame Failure Device	Yes	
Exhaust	Fuel Type	the same of

WESMED SVE

Mat	rixx 16L	
Brand	Power World	alb
Туре	16 Litres	Brighest in STREETING
Model Name/Number	Matrixx 16L	
Dimension	650 x 400 x 185 mm	
Water Head Required	2 Meter	
Water Inlet & Outlet	1/2" BSP	
Rated Voltage	DC 1.5 V	
Heat Exchanger	Copper	sumit.
Water Pipe	14 mm	
Inbuilt Timer	20 min	
Auto Ignition	Yes	
Flame Failure Device	Yes	
Exhaust	Fuel Type	2

#### **AA+ MINERALISING STICK**

SPECIFICATION

Size	: H 4.5" x D 0.77"
Life	: 2000 litres (depending on source water)
Model	: SS AA Stick
Material	: Stainless Steel 304
Net Weight	: 60 grams
pH Value(pH)	: upto 8.5
Package Contents	: AA+ Stick   5ml pH testing liquid   User Manual

# VSACE Class & Bottle

#### **APPLICATION**

- Use the stick in drinkable or purified water only
- ◆ Use in a Drinking Glass or Bottle up to 1 litres storage
- ◆ Leave it for 20 to 25 minutes or share 3 to 5 times for instant use
- Portable device, use it for travelling, office or home

#### **WIO FILTER**


SPECIFICATION

Size	: Top 40mm x Bottom 57mm x H 224mm
Life	: 3000 litres (depending on source water)
Material	: Polypropylene (PP)
Net Weight	: 180 grams
pH Value(pH)	: upto 9.5
Package Contents	: WIO   pH testing liquid   User Manual

#### **APPLICATION**

- ◆ Non electric ceramics technology based device
- Fit Wio filter on top of a 20 litres water jar
- ◆ Turn the jar upside down, Alkaline & Mineralised water is ready for use
- Only purified or drinkable water to be used to pass through the filter





#### **OZONIZER**

SPECIFICATION

Dower Consumption		12 \\/					
Power Consumption							
		500 mg/hr					
Ozone Working Time	:	05-30 min				1900	
Circulation Time	:	1-6 hours	-	A STATE OF THE PARTY OF THE PAR		3000	
<b>Product Size</b>	:	19 x 19 x 9 cm		100			
Color Box Size	:	24 x 13 x 27 cm			200		
Net Weight	:	1.1 kg	1			5 4 <sup>st</sup> !	MEIN
Gross Weight	:	1.25 kg				Ozone out and Alt s	tput <b>500mg/hr</b> terilisation facility
 			1				

#### **APPLICATION**

- Cleaning fruits & vegetables
- Deodorising seafood & meat
- Cleaning hands & face
- Brushing teeth and as a mouth wash
- Comes with Negative Ion releaser to clean the Air. Can be used in the Kitchen while cooking food to make sure the harmful gases are neutralised.

#### **SS 1 LITRE AAA+ MINERALISING BOTTLE**

**SPECIFICATION** 

Size	:	10.04" H X 3.15" D
Life	:	2000 litres
Capacity	:	1000 ml
Material	:	Stainless Steel (304)
Net Weight	:	418 grams
pH Value(pH)	:	upto 9.5
ORP (mv)	:	upto -250
Package Contents	:	Bottle   5 ml pH testing liquid   User Manual Warranty Terms
Colour	:	•••

### **APPLICATION**

- Use Purified or Drinkable Water only
- ◆ Leave it for 20 to 25 minutes or shake 3 to 5 times for instant consumption
- Portable device, use it for travelling, office or home



#### **BOOSTUP AAA + MINERALISING BOTTLE**

**SPECIFICATION** 

	Size	:	9.45" H X 2.83" D
•	Life	:	2000 litres
•	Capacity	:	650 ml
	Material	:	Borosilicate Glass
	Net Weight	:	444 grams
-	pH Value(pH)	:	upto 9.5pH
-	ORP (mv)	:	upto -250
	Package Contents	:	Bottle   5 ml pH testing liquid   User Manual Warranty Terms

#### **APPLICATION**

- Pour any drinkable or any purified water.
- Leave it for 20 to 25 minutes of shake 3 to 5 times for instant use
- Portable device, use it for travelling, office or home.



#### **AAA + MINERALISING GLASS BOTTLE**

**SPECIFICATION** 

Size	:	9.45" H X 2.83" D
Life	:	2000 litres
Capacity	:	500 ml
Material	:	Borosilicate Glass
Net Weight	:	444 grams
pH Value(pH)	:	upto 9.5
ORP (mv)	:	upto -250
Package Contents	:	Bottle   5 ml pH testing liquid   User Manual Warranty Terms

#### **APPLICATION**

- Use drinkable or purified water in the Bottle.
- ◆ Leave it for 20 to 25 minutes of shake 3 to 5 times for instant use
- Portable device, use it for travelling, office or home.



#### **AA + MINERALISING ABSOLUTE BOTTLE**

# SPECIFICATION

Size	:	255mm H X 78.55mm D
Life	:	2000 litres
Capacity	:	500 ml
Material	:	Polycarbonate
Net Weight	:	290 grams
pH Value(pH)	:	upto 9.5pH
ORP (mv)	:	upto -250
Package Contents	:	Bottle   5 ml pH testing liquid   User Manual Warranty Terms

#### **APPLICATION**

- Pour any drinkable or any purified water.
- ◆ Leave it for 20 to 25 minutes of shake 3 to 5 times for instant use
- ◆ Portable device, use it for travelling, office or home



### H2AAA + MINERALISING 4 LITRES JOSS PREMIUM JUG

# SPECIFICATION

 Size	:	265mm H x 145mm W x 260mm
Life	:	3000 litres
 Capacity	:	4 litres
 Material	:	Polycarbonate (PC)
 Net Weight	:	900 grams
 pH Value(pH)	:	upto 9.5
 ORP (mv)	:	upto (-) 300
 Hydrogen (ppb)	:	upto 300
 Package Contents	:	Jug   5 ml pH testing liquid   User Manual Warranty Terms



- Use drinkable or purified water in the Jug
- Takes 5-10 minutes to be filled completely
- ◆ Portable device, use it for travelling, office or home



#### H2AAA + MINERALISING 4 LITRES JOSS JUG

# **SPECIFICATION**

Size	:	265mm H x 145mm W x 260mm
Life	:	3000 litres
Capacity	:	4 litres
Material	:	Polycarbonate (PC)
Net Weight	:	900 grams
pH Value(pH)	:	upto 9.5
ORP (mv)	:	upto (-) 300
Hydrogen (ppb)	:	upto 300
Package Contents	:	Jug   5 ml pH testing liquid   User Manual Warranty Terms

#### **APPLICATION**

- Use drinkable or purified water in the Jug
- Takes 5-10 minutes to be filled completely
- Portable device, use it for travelling, office or home



#### H2AAA + MINERALISING 6 LITRES SS JUG

# SPECIFICATION

Size	:	(H) 320mm x (W) 240mm x (L) 195mm
Life	:	5000 litres
Capacity	:	6 litres
Material	:	Stainless Steel
Net Weight	:	2.0 kg
pH Value(pH)	:	Upto 9.5
ORP (mv)	:	upto (-)300
Hydrogen (ppb)	:	upto 300
Package Contents	•	Jug   5 ml pH testing liquid   User Manual Warranty Terms



#### **APPLICATION**

- Pour any drinkable/purified water
- Portable device, use it for travelling, office or home
- Takes 5-10 minutes to be filled completely

#### HYDROGEN GENERATING MACHINE

- HydroGen Generating Machine from BioPlus uses the all-new PEM (Proton Exchange Membrane) Technology.
- Consuming Hydrogen Gas leads to reduced inflammation & oxidative stress in the body, inflammation and oxidative stress are the root causes of every disease and pathology.
- Basically hydrogen gas helps improve immunity and with better digestion.
- Has an option to produce ozone water which can be used for sterilising household items (utensils, mops, crockery, etc), fruits, & vegetables, as ozone-rich water helps with disinfection.
- The hydrogen Machine generates pure molecular Hydrogen-rich Water, with almost no change in the pH of the Water.

Z
$\overline{O}$
Ě
a
U
Ē
7
ш

:	323 x 45 x 280 (W,D,H)mm
:	3.647 grams
:	4.508 grams
:	Input: AC 100-240 V/50-60Hz Output (P/Adapter): DC 24V/5A
:	5-50°C(41-100°F)- indoor usage only
:	input: 1.0-5.0Kgf/cm² (14-74 psi)
:	1.5 Liters from RO w/purifier at 4.92 kgf/cm2 (70 psi) per minute
:	Adapter: 120W Electrolyzer power consumption: 72W - 24V/3A
	:









#### **Hydrogen-rich Water**

- Simply press the H button to get Hydrogen-rich Water, fill in a glass & help your body function better.
- Drink the Water immediately as Hydrogen Gas tends to escape from Water after a while.
- HydroGen comes with a pH Enhancing Filter which can be fitted if needed to increase the pH (Alkaline Water)

#### **Purified Water Mode**

- Direct Input water comes out as output water
- If pH Enhancing Filter (NSF Certified Bio+ Ceramic Balls) installed, the Purified Mode Will give out Alkaline Water

#### **Cleaning Mode**

- Recommended to run Cleaning Mode 2 times a week i.e. every 70 litres.
- Cleaning mode gives out ozonized water which can be used to clean Fruits and Vegetables.

#### HYDROGEN GENERATING BOTTLE

The Bottle will infuse dissolved free molecules of Hydrogen. Dissolved Hydrogen has benefits like being absorbed by the body quickly, making water antioxidant, reducing inflammation, reducing risk of metabolic syndrome, providing neuro protection for various diseases, reducing side effects associated with cancer radiation treatment and more than 150 more benefits.

# **SPECIFICATION**

Product Name	:	Hydrogen generating bottle
Input Water	:	Purified Water
Voltage	:	220V, 50-60Hz, 5V, 2A
Battery Capacity	:	3000mAh
Cup Capacity	:	500ml
Antioxidant (ORP)	:	up to -750mv
Dissolved Hydrogen	:	up to 2200 ppb
Package Content	:	Hydrogen-rich water Generating Bottle AA Stick   Inhalation Pipe   Cap for Inhalation   User Manual   Warranty Card
Fully Charged Battery	:	60 Cycles in one full charge ( 3 minutes cycle )
Hydrogen Produce Cycle	:	3 and 10minutes
Colour	:	• • ○



#### **HYDROGEN GENERATING BOTTLE FEATURES**



- Two options for Hydrogen generation: 3 minutes cycle for Hydrogen generation upto 1200 ppb
  - 10 minutes cycle for Hydrogen generation upto 2200 ppb
- Lid lock option
- Easy to pour bottle top
- Option for inhaling Hydrogen
- Comes with pipes compatiable for inhalation





- Option for making 1 Litre Packaged drinking water antioxidant, Hydrogen-rich
- Compatible with almost all 1 Litre Packaged drinking water bottle in the market
- Fill Antiocidant, Hydrogen-rich water in an small spray bottle
- Use for spraying on skin for increased hydration
- Antioxidant water helps in eliminating toxic waste off the skin



#### LIGHT COMMERCIAL WATER IONIZER LC11

- Max Large Platinum Titanium Plates High Performance 11 Plates
- Widest range of pH and ORP
- Premium multi-stage dual filtration system
- Compact Steek new Design
- Stytlish Design
- Cooling Fan

#### A FEW KEY FEATURES



US FDA, KFDA, Medical equipment certificate, and all other necessary certifications



Powerful 450 watts - SMPS



Multicolor large LED display



Automatic stop programming options available from 1 minute



1680 programmable options for setting pH & ORP levels



4 Way Cleaning Method of Chamber

according to you need



Eight language options including Hindi



Display options for pH, ORP & Hydrogen reading





to 120 minutes











#### **IONGEN IONIZER FEATURES**

#### ANTIOXIDANT

Ionized Hydrogen-rich Water makes the Oxidation Reduction Potential (ORP) of water negative making water Antioxidant.

#### **ENERGIZE**

Ionized Water helps with better metabolism leading to better energy.

#### **■ DETOX**

Ionization makes water molecules size smaller, making it easy to penetrate in body flushing out wastes & toxins.

#### **■ HYDRATE**

Smaller Molecular size of Water helps better Hydration in our body.



ALL MODELS
COMPATIBLE WITH FAUCET

#### **■ EFFECTIVE IN SKIN CARE**

Ionized Acidic Water with pH 4-6, helps with better skin cleaning and care, especially for face.

#### **■ EFFECTIVE DIET**

Antioxidant Alkaline Water helps with Faster metabolism leading to better health.

#### **■ CONTROLS SUGAR LEVEL**

Antioxidant Alkaline water helps control sugar level in our body, which leads to preventing of various diseases like Diabetes, Cholesterol, Heart Diseases, etc.



MODEL RVWW
RVWW 05 PLATE | RVWW 07 PLATE



MODEL MSB
MSB 05 PLATE I MSB 07 PLATE
MSB 09 PLATE I MSB 11 PLATE
MSB 13 PLATE

#### **IONGEN WATER IONIZERS**

#### BioPlus IonGen Water Ionizers Produces



### 

US FDA, KFDA, Medical equipment certificate, and all other necessary certifications



Powerful 450 watts - SMPS



Multicolor large LED display



Automatic stop programming options available from 1 minute to 120 minutes

#### A FEW KEY FEATURES



1680 programmable options for setting pH & ORP levels according to you need



4 Way Cleaning Method of Chamber



Eight language options including Hindi



Display options for pH, ORP & Hydrogen reading

#### **TEAM MEMBERS | 13**



Atul Acharya
Partner

TEAM MEMBERS



Kanubhai Patel HR Manager





Rimal Kotadia
Partner



Dipak Acharya Branch Head, Navsari



# AUTHORIZED DISTRIBUTOR'S AND

# SERVICE FRANCHISE OF KENT RO







# INDIA'S MOST TRUSTED & QUALITY WATER PRODUCTS.



LARGEST MANUFACTURER OF INDIA
AS WE HAVE 45+ ALKALINE PRODUCTS

WE DELIVER WHAT WE PROMISE















Shrimad Rajchandra Mission Dharampur





## GLOBAL FOOTPRINTS



**5 LAC+ HAPPY CUSTOMERS**ACROSS THE GLOBE.

WE SERVE
IN 22+ STATES
OF INDIA.

10+ COUNTRY IN WORLD



#### **CONTACT US**

- VAPI BRANCH
  Shop No. 112/113, Govinda Complex, GIDC Char Rasta,
  Vapi-396191. Gujarat, India.
- 9974052192 / 8511122255
- istvapi@gmail.com
- VALSAD BRANCH
  Plot No. 2, Sundarvan Society, Next to Suzuki Showroom,
  Dharampur Road, Abrama, Valsad 396002. Gujarat.
- 9714163052/9662669753/9512676782
- jstvalsad@gmail.com
- NAVSARI BRANCH
  Dada Tatu Mohalla, Opp.Shree Navsari Modh Ghanchi
  Samast Panch, Nagarwad, Navsari 396445, Gujarat
- 9974052918/9714163052
- jstvalsad@gmail.com